#### LIQUID COLOR BLACK 482-20286-1

Version Number 1.0 Revision Date 08/21/2024



Page 1 of 17 Print Date 08/22/2024

## SAFETY DATA SHEET

#### LIQUID COLOR BLACK 482-20286-1

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	:	LIQUID COLOR BLACK 482-20286-1 Mixture Mixture CC01061212 liquid
<u>Relevant identified uses of the subs</u> Product use	tance:	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION ColorMatrix Group Inc. 680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA
		+1 216 622 0100
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	EYE IRRITATION - Category 2A

**GHS label elements** 

## LIQUID COLOR BLACK 482-20286-1



Version Number 1.0 Revision Date 08/21/2024 Page 2 of 17 Print Date 08/22/2024

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	Causes serious eye irritation.
Precautionary statements		
Prevention Response	:	Not applicable. Wear eye or face protection. Wash thoroughly after handling. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
Storage Disposal Supplemental label elements Hazards not otherwise classified	::	Not applicable. None known. None known. Not available.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC01061212

CAS number/other identifiers

Ingredient name	%	CAS number
[2,3'-Bis[[(2-hydroxyphenyl)methylene]amino]but-2-	>= 25 - <= 50	64696-98-6
enedinitrilato(2-)-N2,N3,O2,O3]nickel		
1,4-Bis(p-tolylamino)anthraquinone	>= 10 - <= 25	128-80-3
Carbon black	>= 1 - <= 3	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### LIQUID COLOR BLACK 482-20286-1

Version Number 1.0 Revision Date 08/21/2024 Page 3 of 17 Print Date 08/22/2024

## Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.


#### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	:	Causes serious eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering

# **ÀVIENT**

## LIQUID COLOR BLACK 482-20286-1

Version Number 1.0 Revision Date 08/21/2024



🕷 AVIENT

		redness
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medica	l attentio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO <sub>2</sub> . None known.
Specific hazards arising from the chemical	:	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : No action shall be taken involving any personal risk or without



## LIQUID COLOR BLACK 482-20286-1

Version Number 1.0 Revision Date 08/21/2024 Page 5 of 17 Print Date 08/22/2024

For emergency responders	unprotected pers spilled material. ventilation. Wea inadequate. Put : If specialized cle of any informati	sonnel from entering. Do not touch or walk through Avoid breathing vapor or mist. Provide adequate ar appropriate respirator when ventilation is on appropriate personal protective equipment. othing is required to deal with the spillage, take note ton in Section 8 on suitable and unsuitable materials. ormation in "For non-emergency personnel".
Environmental precautions	waterways, drain	of spilled material and runoff and contact with soil, ns and sewers. Inform the relevant authorities if the sed environmental pollution (sewers, waterways, soil
Methods and materials for contai	ent and cleaning up	
Small spill	water and mop u insoluble, absor	nout risk. Move containers from spill area. Dilute with up if water-soluble. Alternatively, or if water- b with an inert dry material and place in an appropriate container. Dispose of via a licensed waste disposal
Large spill	: Stop leak if with release from upy basements or co plant or proceed combustible, aby diatomaceous ea local regulations disposal contrac same hazard as t	hout risk. Move containers from spill area. Approach wind. Prevent entry into sewers, water courses, infined areas. Wash spillages into an effluent treatmen as follows. Contain and collect spillage with non- sorbent material e.g. sand, earth, vermiculite or arth and place in container for disposal according to s (see Section 13). Dispose of via a licensed waste tor. Contaminated absorbent material may pose the the spilled product. Note: see Section 1 for emergency tion and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See

#### LIQUID COLOR BLACK 482-20286-1

Version Number 1.0 Revision Date 08/21/2024



Page 6 of 17 Print Date 08/22/2024

also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
[2,3'-Bis[[(2- hydroxyphenyl)methylene]amino]but-2- enedinitrilato(2-)-N2,N3,O2,O3]nickel	NIOSH REL (2010-09-01) TWA 0.015 mg/m3 (as Ni) OSHA PEL 1989 (1989-03-01) TWA 0.1 mg/m3 (as Ni) Form: Soluble OSHA PEL (1993-06-30) TWA 1 mg/m3 (as Ni)
1,4-Bis(p-tolylamino)anthraquinone	None.
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m <sup>3</sup> ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker
		exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be
		checked to ensure they comply with the requirements of
		environmental protection legislation. In some cases, fume scrubbers,
		filters or engineering modifications to the process equipment will be
		6/17

## LIQUID COLOR BLACK 482-20286-1

Version Number 1.0 Revision Date 08/21/2024



Page 7 of 17 Print Date 08/22/2024

	necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator tha meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

#### **Appearance**

:	liquid [liquid]
:	BLACK
:	Faint odor.
	:

## LIQUID COLOR BLACK 482-20286-1

Version Number 1.0 Revision Date 08/21/2024



Page 8 of 17 Print Date 08/22/2024

Odor threshold	:	Not available.
pH	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
<b>Enclosed space ignition - Time</b>	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

## Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or
		its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see
		Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will
		not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.

## LIQUID COLOR BLACK 482-20286-1

Version Number 1.0 Revision Date 08/21/2024



Page 9 of 17 Print Date 08/22/2024

Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity

Result	Species	Dose	Exposure
4-methylphenyl)ai	mino]-		
LD50 Oral	Rat	3,660 mg/kg	-
LD50 Oral	Rat	15,400 mg/kg	-
	4-methylphenyl)a LD50 Oral	4-methylphenyl)amino]- LD50 Oral Rat	4-methylphenyl)amino]- LD50 Oral Rat 3,660 mg/kg

Conclusion/Summary

: Mixture.Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
9,10-Anthracenedione, 1,4- bis[(4-methylphenyl)amino]-	Eyes - Moderate irritant	Rabbit	-	24 hrs	-
Conclusion/Summary				•	

Conclusion/Summary	
Skin	: Mixture.Not fully tested.
Eyes	: Mixture.Not fully tested.
Respiratory	: Mixture.Not fully tested.
<b>Sensitization</b>	
Conclusion/Summary	
Skin	: Mixture.Not fully tested.
Respiratory	: Mixture.Not fully tested.
<u>Mutagenicity</u>	
Conclusion/Summary	: Mixture.Not fully tested.
<b>Carcinogenicity</b>	
Conclusion/Summary	: Mixture.Not fully tested.
<b>Classification</b>	



### LIQUID COLOR BLACK 482-20286-1

Version Number 1.0 Revision Date 08/21/2024

#### Page 10 of 17 Print Date 08/22/2024

Product/ingredient name	OSHA	IARC	NTP
[2,3'-Bis[[(2-	-	1	Known to be a human carcinogen.
hydroxyphenyl)methylene]			
amino]but-2-			
enedinitrilato(2-)-			
N2,N3,O2,O3]nickel			
Carbon black	-	2B	-
<u>Reproductive toxicity</u>			
Conclusion/Summary	: N	lixture.Not fully to	ested.
<b>Teratogenicity</b>			
Conclusion/Summary	: N	Aixture.Not fully to	ested.
Specific target organ toxicity ( Not available.	<u>ísingle exposu</u>	<u>re)</u>	
Specific target organ toxicity ( Not available.	repeated exp	<u>osure)</u>	
Aspiration hazard Not available.			
Information on the likely rout exposure	es of : N	lot available.	
Potential acute health effects			
Eye contact	: C	Causes serious eye	irritation.
Inhalation			nt effects or critical hazards.
Skin contact	: N	lo known significa	nt effects or critical hazards.
Ingestion	: N	lo known significa	nt effects or critical hazards.
Symptoms related to the physic	ical, chemical	and toxicological	characteristics
Eye contact		dverse symptoms vatering, redness	may include the following: pain or irritation,
Inhalation		lo specific data.	
Skin contact	: N	lo specific data.	
Ingestion		lo specific data.	
Delayed and immediate effects	s and also chr	onic effects from	short and long term exposure

#### Short term exposure

## LIQUID COLOR BLACK 482-20286-1

Version Number 1.0 Revision Date 08/21/2024

# **ÄVIENT**

Page 11 of 17 Print Date 08/22/2024

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	::	No known significant effects or critical hazards. No known significant effects or critical hazards.

#### Numerical measures of toxicity

#### Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
LIQUID COLOR BLACK 482-20286-1	24951.9 mg/kg	N/A	N/A	N/A	N/A
9,10-Anthracenedione, 1,4- bis[(4-methylphenyl)amino]-	3660 mg/kg	N/A	N/A	N/A	N/A
Carbon black	15400 mg/kg	N/A	N/A	N/A	N/A

#### **Other information**

: This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

## Section 12. Ecological information

#### **Toxicity**

## LIQUID COLOR BLACK 482-20286-1

Version Number 1.0 Revision Date 08/21/2024

#### Page 12 of 17 Print Date 08/22/2024

Product/ingredient name	Result		Species	Exposure
Carbon black			· •	
	Acute EC5	0 37.563 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water			
Conclusion/Summary	:	Not available.		
Persistence and degradability				
Conclusion/Summary	:	Not available.		
<u>Bioaccumulative potential</u> Not available.				
<u>Mobility in soil</u>				
Soil/water partition coefficien (KOC)	t :	Not available.		
Other adverse effects	:	No known significant	effects or critical hazards.	
Section 13. Disposa	l consie	derations		
Disposal methods	:	possible. Disposal of the should at all times comprotection and wasted	te should be avoided or minimiz nis product, solutions and any by aply with the requirements of en isposal legislation and any regio . Dispose of surplus and non-rec	-products vironmental nal local

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

and sewers.

products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains



#### LIQUID COLOR BLACK 482-20286-1

Version Number 1.0 Revision Date 08/21/2024

#### Page 13 of 17 Print Date 08/22/2024

## Section 14. Transport information U.S.DOT 49CFR Ground/Air/Water : Not regulated for transportation. International Air ICAO/IATA : Not classified as dangerous goods under transport regulations. International Water IMO/IMDG : Not classified as dangerous goods under transport regulations.

## Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - Final Fest Rules. Not listed
	United States - TSCA 4(a) - Froposed test rules: Not listed
	United States - TSCA 4(a) - Froposed test rules. Not instead
	<b>United States - TSCA 5(a)2 - Final significant new use rules:</b> Not listed
	United States - TSCA 5(a)2 - Proposed significant new use rules:
	Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
	determined
	United States - TSCA 8(a) - Preliminary assessment report
	(PAIR): Not listed
	United States - TSCA 8(c) - Significant adverse reaction (SAR):
	Not listed
	United States - TSCA 8(d) - Health and safety studies: Not listed
	United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed [2,3'-Bis[[(2-
	hydroxyphenyl)methylene]amino]but-2-enedinitrilato(2-)-
	N2,N3,O2,O3]nickel
	United States - EPA Clean water act (CWA) section 311 -
	Hazardous substances: Not listed
	United States - EPA Clean air act (CAA) section 112 - Accidental
	release prevention - Flammable substances: Not listed
	13/17



## LIQUID COLOR BLACK 482-20286-1

Version Number 1.0 Revision Date 08/21/2024



Page 14 of 17 Print Date 08/22/2024

United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I		Not listed
Substances	•	Not fisted
Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor		Not listed
Chemicals)	•	Not listed
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

#### SARA 311/312

Classification

EYE IRRITATION - Category 2A

#### **Composition/information on ingredients**

Name	%	Classification
[2,3'-Bis[[(2-	>= 25 - <= 50	CARCINOGENICITY - Category 1A
hydroxyphenyl)methylene]a		
mino]but-2-enedinitrilato(2-		
)-N2,N3,O2,O3]nickel		
9,10-Anthracenedione, 1,4-	>= 10 - <= 25	EYE IRRITATION - Category 2A
bis[(4-		
methylphenyl)amino]-		
Carbon black	>= 1 - <= 3	CARCINOGENICITY - Category 2

#### <u>SARA 313</u>

#### Form R - Reporting requirements

Product name	CAS number	%
[2,3'-Bis[[(2-hydroxyphenyl)methylene]amino]but-2-	64696-98-6	>= 10 - < 30
enedinitrilato(2-)-N2,N3,O2,O3]nickel		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

## LIQUID COLOR BLACK 482-20286-1



Version Number 1.0 Revision Date 08/21/2024 Page 15 of 17 Print Date 08/22/2024

State regulations	
Massachusetts	: The following components are listed:
	Carbon black
New York	: None of the components are listed.
New Jersey	: The following components are listed:
·	[2,3'-Bis[[(2-hydroxyphenyl)methylene]amino]but-2-
	enedinitrilato(2-)-N2,N3,O2,O3]nickel
	Carbon black
Pennsylvania	The following components are listed:
	[2,3'-Bis[[(2-hydroxyphenyl)methylene]amino]but-2-
	enedinitrilato(2-)-N2,N3,O2,O3]nickel

Carbon black

#### California Prop. 65

State regulations

**WARNING:** This product can expose you to chemicals including [2,3'-Bis[[(2-hydroxyphenyl)methylene]amino]but-2-enedinitrilato(2-)-N2,N3,O2,O3]nickel, which is known to the State of California to cause cancer and birth defects or other reproductive harm. This product can expose you to chemicals including Carbon black, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
[2,3'-Bis[[(2- hydroxyphenyl)methylene]amino]but-2- enedinitrilato(2-)-N2,N3,O2,O3]nickel	-	-
Carbon black	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	Not determined.
<u>International regulations</u> Inventory list		
Australia	:	Not determined.
Canada	:	Not determined.
China	:	All components are listed or exempted.
Eurasian Economic Union	:	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): Not determined.
-		Japan inventory (ISHL): Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
		15/17

#### LIQUID COLOR BLACK 482-20286-1



Version Number 1.0 Revision Date 08/21/2024 Page 16 of 17 Print Date 08/22/2024

Republic of Korea :	All components are listed or exempted.
Taiwan :	Not determined.All components are listed or exempted.
Thailand :	Not determined.
Turkey :	Not determined.
United States :	All components are active or exempted.
Viet Nam :	Not determined.

## **Section 16. Other information**

Hazardous Material Information System (U.S.A.)

Health	/	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<b>Histor</b> ,		
Date of printing	:	08/22/2024
Date of issue/Date of revision	:	08/21/2024
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the

## LIQUID COLOR BLACK 482-20286-1

Version Number 1.0 Revision Date 08/21/2024 Page 17 of 17 Print Date 08/22/2024

sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

