

MATERIAL SAFETY DATA SHEET **RUBY PEARL**

Version Number 1.0 Revision Date 08/07/2003

Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone : CHEM	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	RUBY PEARL
Product code	:	CC10040950
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.		
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



MATERIAL SAFETY DATA SHEET **RUBY PEARL**

Version Number 1.0 Revision Date 08/07/2003 Page 2 of 6 Print Date 11/11/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET **RUBY PEARL**

Version Number 1.0 Revision Date 08/07/2003

Storage

Page 3 of 6 Print Date 11/11/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	: N	No personal respiratory protective equipment normally required.
Eye/Face Protection	: S	afety glasses with side-shields.
Hand protection	: F	Protective gloves.
Skin and body protection	: I	long sleeved clothing.
Additional Protective Measures	: S	afety shoes.
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures		leat only in areas with appropriate exhaust ventilation. Provide ppropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Mica	20 mppcf	PEL:	Total dust.	OSHA
	3 mg/m3	Time Weighted Average	Respirable fraction.	ACGIH
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range Boiling Point: Water solubility
- Solid
 Pellets
 RED
 Very faint
 Not determined
 Not applicable
 Insoluble
- Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH
- Not applicable.
 Not determined
 Not established
 Not applicable
 Not applicable
- : Not applicable
- **10. STABILITY AND REACTIVITY**

Stability

: Stable.

Hazardous Polymerization

: Will not occur.



MATERIAL SAFETY DATA SHEET **RUBY PEARL**

Version Number 1.0 Revision Date 08/07/2003		Page 4 of 6 Print Date 11/11/2011
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

 Not readily l Chemicals a of the polym Chemicals a of the polym Chemicals a of the polym No data avain 13. DISPOSAI Like most the possible, recogenerator of 	ner. re not readily available a ner. ilable. L CONSIDERATIONS	as they are bound within the matrix as they are bound within the matrix S ct can be recycled. Where		
12. ECOLOGI : Not readily I : Chemicals a of the polym : Chemicals a of the polym : No data avait 13. DISPOSAI : Like most the possible, recogenerator of	CAL INFORMATION biodegradable. re not readily available a ner. re not readily available a ner. ilable. CONSIDERATIONS	N as they are bound within the matrix as they are bound within the matrix S ct can be recycled. Where		
 Not readily l Chemicals a of the polym Chemicals a of the polym Chemicals a of the polym No data avain 13. DISPOSAI Like most the possible, recogenerator of 	biodegradable. re not readily available a her. re not readily available a her. ilable. C CONSIDERATIONS hermoplastics the produ	as they are bound within the matrix as they are bound within the matrix S ct can be recycled. Where		
 Chemicals a of the polym Chemicals a of the polym Chemicals a of the polym No data avait 13. DISPOSAI Like most the possible, recigenerator of 	re not readily available a ner. re not readily available a ner. ilable. CONSIDERATIONS nermoplastics the produ	as they are bound within the matrix		
of the polym Chemicals a of the polym No data avain 13. DISPOSAL Like most the possible, recogenerator of	her. re not readily available a her. ilable. L CONSIDERATIONS hermoplastics the produ	as they are bound within the matrix		
of the polym : No data avain 13. DISPOSAL : Like most the possible, recogenerator of	her. ilable. L CONSIDERATIONS hermoplastics the produ	S ct can be recycled. Where		
 13. DISPOSAL : Like most the possible, recogenerator of 	CONSIDERATIONS	ct can be recycled. Where		
: Like most th possible, rec generator of	ermoplastics the produ	ct can be recycled. Where		
possible, rec generator of				
	waste material has the r	responsibility for proper waste posal in accordance with		
has the response and disposal		preferred when possible. The generator of waste material nsibility for proper waste classification, transportation in accordance with applicable federal, state/provincial alations.		
14. TRANSPO	ORT INFORMATION			
: Refer to spec	cific regulation.			
	and disposal and local reg 14. TRANSPO			



TERIAL SAFETY DATA S	SHEET	
JBY PEARL		
sion Number 1.0 ision Date 08/07/2003		Page 5 of Print Date <i>11/11/201</i>
ICAO/IATA	: Refer to speci	fic regulation.
IMO / IMDG	: Refer to speci	fic regulation.
	15. REGULATO	DRY INFORMATION
US Regulations:		
OSHA Status	: Classified as l	nazardous based on components.
TSCA Status	: All component Inventory.	nts of this product are listed on or exempt from the TSCA
US. EPA CERCLA Hazardo	ous Substances (40 CFI	R 302)
Not applicable		
California Propositio 65	on : WARNING! California to c	This product contains a chemical known to the State of cause cancer.
SARA Title III Section 302	Extremely Hazardous	Substance
Not applicable		
SARA Title III Section 313	Toxic Chemicals:	
Not applicable Canadian Regulations:		
National Pollutant R	elease Inventory (NPR))
Not applicable		
WHMIS Classificati	on : D2B	
WHMIS Ingredient I	Disclosure List	
CAS-No. 12001-26-2		
DSL		nts of this product are on the Canadian Domestic st (DSL) or are exempt.
National Inventories:		





MATERIAL SAFETY DATA SHEET **RUBY PEARL**

Version Number 1.0 Revision Date 08/07/2003

Page 6 of 6 Print Date *11/11/2011*

China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.