

MATERIAL SAFETY DATA SHEET BURNT ORANGE 167C

Version Number 1.0 Revision Date 12/19/2003

Page 1 of 6 Print Date *11/13/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BURNT ORANGE 167C
Product code	:	CC10047425
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET BURNT ORANGE 167C

Version Number 1.0 Revision Date 12/19/2003 Page 2 of 6 Print Date 11/13/2011

		4. FIRST AID MEASURES		
Inhalation		Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.		
		5. FIRE-FIGHTING MEASURES		
Flash point	:	Not applicable		
Flammable Limits Upper explosion limit	:	Not applicable		
Lower explosion limit	:	Not applicable		
Autoignition temperature	:	Not applicable		
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.		
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	6. A(CCIDENTAL RELEASE MEASURES		
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
		7. HANDLING AND STORAGE		
Handling	:	Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.		
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption		

2/6



MATERIAL SAFETY DATA SHEET BURNT ORANGE 167C

Version Number 1.0 Revision Date 12/19/2003 Page 3 of 6 Print Date 11/13/2011

and contamination. Keep in a dry, cool place.					
8. E	EXPOSURE	CONTROLS / PERSON	NAL I	PROTECTION	
Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	: Safety glasses with side-shields.			
Hand protection	: P	: Protective gloves.			
Skin and body protection	: L	: Long sleeved clothing.			
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations		andle in accordance with ash hands before breaks			safety practice.
Engineering measures		eat only in areas with app ppropriate exhaust ventila			Provide
Exposure limit(s)					
					1
Components	Value	Exposure time		Exposure type	List:
Iron oxide	$5 ma/m^2$				
	5 mg/m3	Time Weighted Average (TWA):	ge	Dust and fume. as Fe	ACGIH
		(TWA):		Dust and fume. as Fe	ACGIH
				Dust and fume. as Fe	ACGIH
		(TWA):	PRO	Dust and fume. as Fe PERTIES	
Form	9. PHYSIC	(TWA): CAL AND CHEMICAL	PRO vapor	Dust and fume. as Fe PERTIES ation rate : Not	ACGIH applicable t determined
Form Appearance	9. PHYSIC : Solid	(TWA): CAL AND CHEMICAL I E ⁻ ts Sj	PRO vapor pecifi	Dust and fume. as Fe PERTIES ation rate : Not c Gravity: : Not	t applicable
Form Appearance Color	9. PHYSIC : Solic : Pelle	(TWA): CAL AND CHEMICAL I E ts SI NGE B	PRO vapor pecificulk de	Dust and fume. as Fe PERTIES ation rate : Not c Gravity: : Not ensity : Not	t applicable t determined t established
Form Appearance Color Odor	9. PHYSIC : Solic : Pelle : ORA : Very	(TWA): CAL AND CHEMICAL L E- ts S ₁ NGE B- faint V	PRO vapor pecifi ulk de apor	Dust and fume. as Fe PERTIES ation rate : Not c Gravity: : Not ensity : Not pressure : Not	t applicable t determined
Form Appearance Color Odor Melting point/range	9. PHYSIC : Solic : Pelle : ORA : Very : Not of	(TWA): CAL AND CHEMICAL I E- ts Sj NGE B- faint V determined V	PRO vapor pecifi ulk de apor apour	Dust and fume. as Fe PERTIES ation rate : Not c Gravity: : Not ensity : Not pressure : Not density : Not t density : Not	t applicable determined t established t applicable t applicable
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solic : Pelle : ORA : Very : Not of	(TWA): CAL AND CHEMICAL I Er ts Sj NGE B faint V determined V applicable pl	PRO vapor pecifi ulk de apor apour	Dust and fume. as Fe PERTIES ation rate : Not c Gravity: : Not ensity : Not pressure : Not density : Not t density : Not	applicable determined t established applicable
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC Solid Pelle ORA Very Not a Insol	(TWA): CAL AND CHEMICAL I Er ts Sj NGE B faint V determined V applicable pl	PRO vapor pecifi ulk de apor apour H	Dust and fume. as Fe PERTIES ation rate : Not c Gravity: : Not ensity : Not pressure : Not density : Not : Not	t applicable determined t established t applicable t applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	9. PHYSIC : Solici : Pelle : ORA : Very : Not c : Not a : Insol 10. S	(TWA): CAL AND CHEMICAL I E ⁻ ts S ₁ NGE B faint V determined V applicable pl uble	PRO vapor pecifi ulk de apor apour H	Dust and fume. as Fe PERTIES ation rate : Not c Gravity: : Not ensity : Not pressure : Not density : Not : Not	t applicable determined t established t applicable t applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	9. PHYSIC : Solic : Pelle : ORA : Very : Not c : Not a : Insol 10. S : S	(TWA): CAL AND CHEMICAL CAL AND CHEMICAL CAL AND CHEMICAL E ts Si NGE B faint V determined V applicable pl uble CTABILITY AND REAC	PRO vapor pecifi ulk de apor apour H	Dust and fume. as Fe PERTIES ation rate : Not c Gravity: : Not ensity : Not pressure : Not density : Not : Not	t applicable determined t established t applicable t applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	9. PHYSIC : Solid : Pelle : ORA : Very : Not a : Insol 10. S n : W : K	(TWA): CAL AND CHEMICAL CAL AND CHEMICAL I E ts Sj NGE B faint V faint V determined V applicable pl uble CTABILITY AND REAC table.	PRO vapor pecific ulk de apour H CTIV	Dust and fume. as Fe PERTIES ation rate : Not c Gravity: : Not ensity : Not pressure : Not c density : Not i density : Not i TTY	t applicable t determined t established t applicable t applicable t applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid Incompatible Materials	9. PHYSIC : Solid : Pelle : ORA : Very : Not d : Not d : Insol 10. S n : W : K dotset	(TWA): CAL AND CHEMICAL CAL AND CHEMICAL E E ts SI NGE B faint V determined V applicable pl uble CTABILITY AND REAC table. Vill not occur. teep away from oxidizing	PRO vapor pecificulk de apour H CTIV	Dust and fume. as Fe PERTIES ation rate : Not c Gravity: : Not ensity : Not pressure : Not c density : Not i Not ITY ts and open flame. To a	t applicable t determined t established t applicable t applicable t applicable



MATERIAL SAFETY DATA SHEET **BURNT ORANGE 167C**

Version Number 1.0

Revision Date 12/19/2003

Page 4 of 6 Print Date 11/13/2011

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

CAS-No.	C	hemical Name	Effect	Target Organ
1309-37-1	Iron ox	ide	Systemic effects	Respiratory system.
		12. ECOLOGIO	CAL INFORMATION	1
Persistence and deg	gradability	: Not readily bi	iodegradable.	
Environmental Tox	icity	: Chemicals are of the polyme		s they are bound within the matrix
Bioaccumulation P	otential	: Chemicals are of the polyme		is they are bound within the matrix
Additional advice		: No data avail	able	
		13. DISPOSAL	CONSIDERATIONS	
Product		possible recyc generator of v classification,	cling is preferred to dis waste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Contaminated pack	aging	has the respon	nsibility for proper was in accordance with appl	e. The generator of waste materia te classification, transportation licable federal, state/provincial

U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.

IMO / IMDG (maritime) : Refer to specific regulation.

15. REGULATORY INFORMATION

US Regulations:



MATERIAL SAFETY DATA SHEET BURNT ORANGE 167C

Version Number 1.0 Revision Date 12/19/2003 Page 5 of 6 Print Date 11/13/2011

		16. OTHER INFORMATION
Philippines PICC	S :	Listed
Korea KECI	:	Listed
Japan ENCS	:	Not determined
Europe EINECS	:	Not determined
China IECS	:	Listed
Australia AICS	:	Listed
National Inventories:		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
WHMIS Classific	ation :	Not controlled.
Not applicable		
National Pollutant	Release In	nventory (NPRI)
Not applicable Canadian Regulations:		
SARA Title III Section 3	13 Toxic C	Chemicals:
Not applicable		
SARA Title III Section 3	02 Extrem	ely Hazardous Substance
California Propos 65	ition :	This product does not contain a substance listed by California Prop 6.
Not applicab	le	
US. EPA CERCLA Haza	rdous Sub	stances (40 CFR 302)
TSCA Status	:	All components of this product are listed on or exempt from the TSC Inventory.



MATERIAL SAFETY DATA SHEET BURNT ORANGE 167C

Version Number 1.0 Revision Date 12/19/2003 Page 6 of 6 Print Date 11/13/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.