BLACK 9005 NYLON

Version Number 1.1 Revision Date 06/13/2024



Page 1 of 15 Print Date 06/15/2024

SAFETY DATA SHEET

BLACK 9005 NYLON

Section 1. Identification	n	
GHS product identifier Chemical name CAS number Other means of identification Product type	:::::::::::::::::::::::::::::::::::::::	BLACK 9005 NYLON Mixture Mixture CC10322389 solid
<u>Relevant identified uses of the substa</u> Product use	ance :	or mixture and uses advised against Industrial applications.
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012
Emergency telephone number (with hours of operation)	:	1 (440) 930-1000 or 1 (844) 4AVIENT CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

Classification of the substance or mixture:Not classified.GHS label elements:Not classified.Signal word Hazard statements:No signal word. No known significant effects or critical hazards.	OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Signal word : No signal word.		:	Not classified.
	GHS label elements		
Hazard statements:No known significant effects or critical hazards.	Signal word	:	No signal word.
	Hazard statements	:	No known significant effects or critical hazards.

BLACK 9005 NYLON

Version Number 1.1 Revision Date 06/13/2024

AVIENT

Page 2 of 15 Print Date 06/15/2024

Precautionary statements

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10322389

CAS number/other identifiers

Ingredient name	%	CAS number
Carbon black	>= 10 - <= 25	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	2/15

BLACK 9005 NYLON

ÀVIENT

Version Number 1.1	Page 3 of 15
Revision Date 06/13/2024	Print Date 06/15/2024

Skin contact Ingestion	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects, a	<u>cute a</u>	nd delayed
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical at	<u>tentio</u>	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.
See torical acient information (Section	11	<u>х</u>

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

re, use water spray (fog), foam, dry chemical or CO ₂ .
fire or explosion hazard.
r

BLACK 9005 NYLON

Version Number 1.1 Revision Date 06/13/2024

ÀVIENT

Page 4 of 15 Print Date 06/15/2024

decomposition products		carbon dioxide carbon monoxide nitrogen oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions Methods and materials for containme	: ent a	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Small spill Large spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational	:	Eating, drinking and smoking should be prohibited in areas where this

BLACK 9005 NYLON

Version Number 1.1 Revision Date 06/13/2024

ÀVIENT

iber 1.1	Page 5 of 15
e 06/13/2024	Print Date 06/15/2024

hygiene		material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Carbon black	OSHA PEL 1989 (1989-03-01)
	TWA 3.5 mg/m3
	OSHA PEL (1993-06-30)
	TWA 3.5 mg/m3
	NIOSH REL (1994-06-01)
	TWA 3.5 mg/m3
	NIOSH REL (1994-06-01)
	TWA 0.1 mgPAH/m ³
	ACGIH TLV (2010-12-06)
	TWA 3 mg/m3 Form: Inhalable fraction
	č
	TWA 3 mg/m3 Form: Inhalable fraction

Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end

BLACK 9005 NYLON

Version Number 1.1 Revision Date 06/13/2024

ÀVIENT

er 1.1	Page 6 of 15
06/13/2024	Print Date 06/15/2024

Eye/face protection	:	of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state Color Odor Odor threshold	:	solid BLACK Faint odor. Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not applicable.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not applicable.

BLACK 9005 NYLON

Version Number 1.1 Revision Date 06/13/2024

ÀVIENT

Page 7 of 15 Print Date 06/15/2024

(flammable) limits		Upper: Not applicable.
Vapor pressure	:	Not available.
Vapor density	:	Not applicable.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not applicable.
octanol/water		
Auto-ignition temperature	:	Not applicable.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	-	Dynamic: Not available.
		Kinematic: Not applicable.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

BLACK 9005 NYLON

Version Number 1.1 Revision Date 06/13/2024



Page 8 of 15 Print Date 06/15/2024

Section 11. Toxicological information

Information on toxicological effects

Product/ingredient name	Result	Species	Ι	Dose	Exposure
Carbon black	<u> </u>	_			
	LD50 Oral	Rat	1	5,400 mg/kg	-
Conclusion/Summary	: Mi	xture.Not fully t	ested.		
Irritation/Corrosion					
Conclusion/Summary					
Skin	: Mi	ixture.Not fully	tested.		
Eyes	: Mi	ixture.Not fully	tested.		
Respiratory	: Mi	ixture.Not fully	tested.		
Sensitization					
Conclusion/Summary					
Skin	: Mi	ixture.Not fully	tested.		
Respiratory	: Mi	ixture.Not fully	tested.		
<u>Mutagenicity</u>					
Conclusion/Summary	: Mixture.Not fully tested.				
<u>Carcinogenicity</u>					
Conclusion/Summary	: Mi	: Mixture.Not fully tested.			
Classification					
Product/ingredient name	OSHA	IARC	NTP		
Carbon black	-	2B	-		
Reproductive toxicity					
Conclusion/Summary	: Mi	ixture.Not fully	tested		
Conclusion/Summary	• 101	inture.rvot fully	usicu.		
<u>Teratogenicity</u>					
Conclusion/Summary	: Mi	ixture.Not fully	tested.		
Specific target organ toxicity (single exposure)					

BLACK 9005 NYLON

Version Number 1.1 Revision Date 06/13/2024



Page 9 of 15 Print Date 06/15/2024

Not available.

Specific target organ	<u>n toxicity (repeated exposure)</u>
Not available.	
Aspiration hazard	

Not available.

Information on the likely routes of : Not available. exposure

Potential acute health effects

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards. No known significant

BLACK 9005 NYLON

Version Number 1.1 Revision Date 06/13/2024



Page 10 of 15 Print Date 06/15/2024

effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates N/A

Other information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

:

Toxicity

Product/ingredient name	Result		Species	Exposure
Carbon black				
	Acute EC:	50 37.563 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water			
BLACK 9005 NYLON				
Remarks - Acute - Aquatic	Chemicals	s are not readily available	e as they are bound within the po	olymer matrix.
invertebrates.:				
Conclusion/Summary	:	Chemicals are not readi polymer matrix.	ly available as they are bound w	vithin the
Persistence and degradability				
Conclusion/Summary	:	Chemicals are not read polymer matrix.	ily available as they are bound v	within the
Conclusion/Summary	:	Chemicals are not read polymer matrix.	ily available as they are bound v	vithin the
Bioaccumulative potential Not available.				
<u>Mobility in soil</u>				
Soil/water partition coefficien	it :	Not available.		
		10/15		

BLACK 9005 NYLON

Version Number 1.1 Revision Date 06/13/2024

ÀVIENT

Page 11 of 15 Print Date 06/15/2024

(KOC)

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	: Not regulated for transportation.
International Air ICAO/IATA	: Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	: Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed

BLACK 9005 NYLON

Version Number 1.1 Revision Date 06/13/2024



	ed States - TSCA 5(a)2 - Final significant new use rules: Not
liste	-
Unit	ed States - TSCA 5(a)2 - Proposed significant new use rules:
Not	listed
Unit	ed States - TSCA 5(e) - Substances consent order: Not listed
Unit	ed States - TSCA 6 - Final risk management: Not listed
Unit	ed States - TSCA 6 - Proposed risk management: Not listed
Unit	ed States - TSCA 8(a) - Chemical risk rules: Not listed
Unit	ed States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	ed States - TSCA 8(a) - Chemical Data Reporting (CDR): No
	mined
Unit	ed States - TSCA 8(a) - Preliminary assessment report
	(R): Not listed
	ed States - TSCA 8(c) - Significant adverse reaction (SAR):
	listed
Unit	ed States - TSCA 8(d) - Health and safety studies: Not listed
	ed States - EPA Clean water act (CWA) section 307 - Priority
	itants: Not listed
-	ed States - EPA Clean water act (CWA) section 311 -
	ardous substances: Not listed
	ed States - EPA Clean air act (CAA) section 112 - Accidental
	ase prevention - Flammable substances: Not listed
	ed States - EPA Clean air act (CAA) section 112 - Accidental
	ase prevention - Toxic substances: Not listed
	ed States - Department of commerce - Precursor chemical:
	listed
INOU .	listed

Clean Air Act Section 112(b)	:	Not listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

BLACK 9005 NYLON

Version Number 1.1 Revision Date 06/13/2024

ÀVIENT

Page 13 of 1	5
Print Date 06/15/202	24

No products were found.		
Name	%	Classification
Carbon black	>= 10 - <= 25	CARCINOGENICITY - Category 2

Not applicable.

State regulations		
Massachusetts	: The following components are	listed:
	Carbon black	
New York	: None of the components are list	ted.
New Jersey	: The following components are	listed:
-	Carbon black	
Pennsylvania	: The following components are	listed:
-	Carbon black	

California Prop. 65

WARNING: This product can expose you to Carbon black, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Carbon black	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations Inventory list		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Eurasian Economic Union	:	Russian Federation inventory: All components are listed or exempted.
Japan	:	Japan inventory (CSCL): All components are listed or exempted.
-		Japan inventory (ISHL): Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Thailand	:	All components are listed or exempted.



BLACK 9005 NYLON

Version Number 1.1 Revision Date 06/13/2024 Page 14 of 15 Print Date 06/15/2024

Turkey	:	All components are listed or exempted.
United States	:	All components are active or exempted.
Viet Nam	:	All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Instor j		
Date of printing	:	06/15/2024
Date of issue/Date of revision	:	06/13/2024
Date of previous issue	:	03/27/2020
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other

BLACK 9005 NYLON

Version Number 1.1 Revision Date 06/13/2024



Page 15 of 15 Print Date 06/15/2024

materials or in any process, unless specified in the text.